

# DANGER - DEADLY POISON

KEEP OUT OF REACH OF CHILDREN. ECOTOXIC

HSNO CLASSES: 6.1B, 6.8A, 9.1D, 9.3A



## 0.15% 1080 PELLETS

Bait in Pellet Form for Poisoning of  
Possums and Rodents.  
Contains 1.5 g/kg sodium  
fluoroacetate in the form of a bait.



### PRECAUTIONS

Acutely toxic. May be fatal if swallowed, inhaled or absorbed through the skin. Repeated oral exposure may cause reproductive or developmental damage. When handling open containers or baits, wear protective equipment as shown in precautions box below.

Very toxic to terrestrial vertebrates. Take measures to reduce the risk of non-target animals being exposed to the toxin either through eating baits or by scavenging the carcasses of poisoned animals.

Harmful to aquatic organisms. Manage bait application rates carefully and comply with any restrictions imposed on placing baits over or near waterways. Avoid pollution of any water supply with pellets or used container.

Storage: Store in original container, tightly closed, under lock and key and away from feed or foodstuffs. Keep out of reach of children. This product must always be under the control of an approved handler who holds a current test certificate endorsed for class 6 and class 9 substances.

Handling: When handling open containers or laying baits, wear overalls worn outside rubber boots, and impervious rubber or PVC gloves. When loading aircraft or working in windy conditions, wear goggles and a dust mask as protection against dust entering the eyes or mouth. Do not eat, drink or smoke when using the product or handling open containers. Wash protective clothing and equipment daily after work. Remove protective clothing and wash hands and exposed skin thoroughly before meals and after any contact. Thoroughly wash implements, spreading equipment, aircraft and bait stations before removing them from the operational area.

### EMERGENCY MANAGEMENT

Symptoms of Poisoning: Early Symptoms: Nausea, vomiting, tingling and numbness in face and hands, stomach pains, apprehension and anxiety. Later Symptoms: Muscular twitching, blurred vision, mental confusion. Severe Symptoms: Coma, convulsions.

First Aid: Act immediately if poisoning is suspected. DO NOT induce vomiting. Call a doctor or emergency physician at your nearest hospital immediately. For further advice contact National Poisons Centre 0800 POISONS (Phone 0800 764 766).

Spillage: In the event of major spills, inform the Fire Service immediately, and then local health protection officers at your District Health Board or hospital. Isolate the spill area and exclude all bystanders. Take all practicable steps to manage any harmful effects of a spillage including preventing baits from entering streams or waterways. Scoop spilled baits into secure containers. Recover any undamaged bait for later use by placing in appropriately labelled containers and dispose of spoiled bait as directed below. Use a broom to collect fine material and wash down the spill area with copious volumes of water only after all spilled bait has been removed.

Disposal: The active ingredient, sodium fluoroacetate, is degraded through microbial activity and will decompose at temperatures above 200 degrees Celsius. It dilutes readily in water. Product which is surplus or spoiled should be disposed of by burying with other organic material on the active top face of an appropriately managed landfill or buried within the biologically active layer of soil elsewhere within a secure area. Ensure that a good covering of earth is applied over the bait immediately to prevent access by scavenging birds. Avoid deep disposal or burying where ground-water contamination may occur. Alternatively, burn unwanted bait material in a suitably constructed and appropriately located incinerator and bury any residues as above. Treating the baits through a sewage oxidation facility or other chemical treatment facility is also an acceptable means of disposing of unwanted bait material where this is allowed by local by-laws and regulations. Burn empty bags or bury in a suitable location at a landfill at a depth of at least 60 cm. Do not use the empty container for any other purpose.



READ DIRECTIONS AND OTHER USER INFORMATION ON REAR BEFORE USE  
IN A TRANSPORT EMERGENCY DIAL 111 FOR POLICE OR FIRE

# DANGER - DEADLY POISON

KEEP OUT OF REACH OF CHILDREN. ECOTOXIC

HSNO CLASSES: 6.1B, 6.8A, 9.1D, 9.3A



## 0.15% 1080 PELLETS

Bait in Pellet Form for Poisoning of Possums and Rodents  
Contains 1.5 g/kg sodium fluoroacetate in the form of a bait



### READ PRECAUTIONS ON FRONT PANEL BEFORE USING

#### LEGAL OBLIGATIONS

**Sale and use:** This product must be sold only to or used by a person holding a Controlled Substances Licence issued by a test certifier who has been approved. If the product is applied aerially, public notification is required. Additional permissions may be required depending on the method of use and location of use. This product must only be used as specified in the label.

**Signage:** Signs must be erected at every normal point of entry to the place where the substance is to be applied. Signs must remain in place until baits are retrieved or are no longer toxic, or until any other legal requirement affecting signage has been complied with.

**Tracking:** It is a legal requirement that this product is tracked using the unique pack identifiers for its full lifecycle, including date, location of its use or means of disposal.

#### GENERAL INFORMATION

**Shelf life:** The shelf life of this product may vary according to the suitability of storage conditions. As a guide, it is recommended that the product be used within 3 months of date of manufacture as studies have shown that the palatability of bait may progressively decline after that time. Any product held after the expiry date shown on the bag should be disposed of according to label directions.

**Livestock:** It is extremely important to prevent access to baits by domestic livestock and pets. Stock must be kept off the treatment area until baits have been washed out by rain, removed or destroyed. Dogs and cats are particularly at risk from eating poisoned possum and rodent carcasses and pet owners in the immediate vicinity must be notified of this risk. Collect poisoned animal carcasses where practicable for burning or burying at least 600 mm below ground, otherwise limit access to the treatment area until poisoned animal carcasses are unlikely to be eaten or to contain residues.

**Conditions of sale:** As no control can be exercised over the methods or conditions under which this product is used, no responsibility or claim, other than those required by statute, will be accepted for any damage or injury whatsoever arising from the storage, handling, application, use or disposal of this product.

**Transport information:** Proper shipping name: PESTICIDES, SOLID, TOXIC, N.O.S.; UN 2588, Packing Group II, Toxic 6.1B, Hazchem 2X.

#### Registered to and Manufactured by:

Animal Control Products Ltd, 408 Heads Road, Wanganui, New Zealand Ph 64 (0)6 344 5302  
and 10 Hayes Street, Waimate, New Zealand Ph 64 (0)3 689 8367  
For safety data sheet go to <http://www.pestoff.co.nz/msdpage.htm>

Registered pursuant to the ACVM Act 1997, No. V2846

See <http://www.nzfsa.govt.nz/acvm> for conditions of registration



Pack No.:  
PRF No./Manuf. date:  
Lure/Size:  
Expiry Date:  
Batch No.:

NET CONTENTS  
**25 kg**



SH2/Z25/S/04  
NZ/ACP Ltd

**IN A TRANSPORT EMERGENCY DIAL 111 FOR POLICE OR FIRE**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS**

**DANGER**

May be fatal if swallowed. Wear waterproof gloves when using Compound 1080. Wash hands after handling bait or animals that have been contaminated with 1080 solution. Do not use contaminated animals for food or feed.

**ENVIRONMENTAL HAZARDS**

This product is very highly toxic to wildlife. Birds and mammals feeding on carcasses of contaminated animals may be killed. Keep out of any body of water. Apply this product only as specified on this label and technical bulletin.

**DIRECTIONS FOR USE**

It is a violation of State and Federal law to use this product in a manner inconsistent with its labeling or the Compound 1080 cancellation order. Misuse may result in civil or criminal enforcement action.

Use Compound 1080 only in accordance with user instructions and use restrictions contained in the accompanying Technical Bulletin No. 6.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.  
**STORAGE:** Store Compound 1080 only in original container, in dry locked place away from food, and domestic animals.

**PESTICIDE DISPOSAL:** Pesticide wastes are actually hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

**Compound 1080®**

REG. U.S. PAT. OFF.

Active ingredients: Sodium Monofluoroacetate 93%  
Inert ingredients: 7%

**KEEP OUT OF REACH OF CHILDREN**

**DANGER**



**DANGER**

**STATEMENT OF PRACTICAL TREATMENT**

**IF SWALLOWED:**

Induce vomiting at once with an emetic such as syrup of ipecac; use as directed. If emetic is not available, drink 1-2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. PROMPT TREATMENT IS MANDATORY. GET MEDICAL ATTENTION IMMEDIATELY.

**IF ON THE SKIN:**

Wash the exposed area twice with soap and water. Wash eyes with plenty of water for at least 15 min.

**IF IN EYES:**

Remove contaminated clothing and wash before re-use. Dispose of all contaminated leather, including shoes, boots, and gloves, according to the "Pesticide Disposal" section. See disposal instructions on side panel.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Established No. S2217-AL-1

Manufactured by Tull Chemical Co., Inc.  
Oxford, Alabama 36203, U.S.A.

Net Contents 5 Kg

**FOR REFORMULATION USE ONLY**

Formulators must ensure that all Compound 1080 grain baits used for field rodent control are dyed yellow. Compound 1080 grain baits used for commercial rodent control must be dyed in accordance with USDA regulations.

**NOTICE TO FORMULATORS:** Formulators who use this product are responsible for providing data to support their own registration.

**NOTE TO PHYSICIAN**

**WARNING SYMPTOMS:** 1080 poisoning results from the transformation of fluoroacetate into fluorocitrate within the cell mitochondria. Poisoning is characterized by a symptom-free latent period of ½ to 2 hours or longer between ingestion and onset of symptoms (nausea, vomiting, diarrhea, and hyperactive behavior leading to convulsions, coma, and cyanosis). Ventricular fibrillation is commonly noted and is the primary cause of death. Early symptoms include alterations of heart sounds and premature, weak contractions.

**TREATMENT:** No effective antidote is known but symptomatic treatment may be effective. Establish respiration: create artificial airway if necessary. Check adequacy of tidal volume. Initiate emesis. If patient is comatose, convulsing, or has lost the gag reflex, endotracheal intubation should precede gastric lavage with large bore tube. Administer activated charcoal and magnesium sulfate. Treat seizures with IV diazepam. Monitor cardiac function closely. Treatment with glyceryl monoacetate (monoacetin) may be effective; however, it is experimental and unproven in humans. **CONSULT NEAREST POISON CONTROL CENTER FOR CURRENT INFORMATION.** Symptoms of non-lethal intoxication will usually subside within 12-24 hours.