

## Application for Approval not to Remove a Disused Below Ground Stationary Tank

This application is made in accordance with Schedule 8, Part 8, Clause 40 (2) (b) Hazardous Substances (Dangerous Goods and Scheduled Toxic Substances) Transfer Notice 2004 (as amended)

### Applicant Details *(name that will be recorded in register)*

Applicants Name	<input type="text"/>	Phone Number(s)	<input type="text"/>
Contact Name	<input type="text"/>	Facsimile Number	<input type="text"/>
Postal Address	<input type="text"/>		

### Disused Tank Details *(attach a separate sheet if required)*

1. Location of Disused tank:

2. Tank age, size and materials of construction:

3. What hazardous substances have been stored in the tank?:

4. Provide a statement and supply evidence (drawings, engineers report) as to why it is not practical to remove the tank:

5. Describe how the tank will be rendered safe:

6. Describe the actions to be taken to remove and treat any residual hazardous substances and sludges remaining in the tank:

7. Provide details of on site contamination investigations undertaken and the results and conclusions of these investigations. Attach copies all reports:

8. What is the likelihood and impact of any future discharge of substance from the tank?

9. Are there any ground water abstraction points nearby? If so indicate location by reference to a good scale plan and advise the depth of the bore/well:

10. Will the location where the below ground stationary tank is situated continue be used to store or use hazardous substances? Provide details of location activities:

11. Has the Regional Council and Territorial Local Authority been contacted in regards to this activity?

12. Have the Regional Council and Territorial Local Authority imposed any conditions?

13. Provide relevant supporting detail that will assist the decision making application.

#### Application Costs:

There is an application fee of \$157.50 inc GST that is to accompany the application. If ERMA New Zealand expend additional time on the application it will be charged at \$100 per hour plus GST. Any external expert engaged by ERMA New Zealand will be charged at the actual costs. Consultants and Test Certifiers engaged by the applicant will be their cost.

Date application  
received

Date application  
fee received